



# W3200-MTL1003

## Features

- Large LCD display, black white background, clear and readable, display date, time, temperature
- Electromagnetic Force Balance Sensor
- mg/g/ct/oz/lb/gn/ozt/PCS and other units
- Cast aluminum, 3 glass wind-resistant doors, stainless steel weighing pan and surrounding area
- Internal or external calibration
- Print, Counting, Tare, Unit conversion, Auto-calibration, Overload/Error Indication,
- % function/ underhook weighing function, dynamic weighing function, upper and lower limit check weighing function, density weighing function
- Power:AC100-240v, DC12V1000mA

Model	W3200-MTL1003
Pan Size	Round Pan (115 mm)
Capacity	1000g
Resolution	0.001 g
Repeatability	±0.002g
Linearity Error	±0.002g
Response Time	≤ 2 sec
Calibration	external calibration
Weighing Units	mg/g/ct/oz/lb/gn/ozt/PCS etc
Construction	Cast aluminum, static resistant ABS, static-resistant doors, stainless steel pan
Display	Large, easy to read LCD display with backlight
Body dims	360 x 220 x 320 mm (L x W x H)
Power	110v - 240v, 50HZ / 60HZ
Operat. Temp.	20±7.5°C
Connectivity	Configurable RS 232 interface
Packing Size	475*365*475mm (L x W x H)

ANALYTICAL BALANCES (1mg)